


Customer/Wholesaler:	Date:	Job Name:	Model Specified: 68217	Quantity:
Contractor:		Architect/Engineer:		




PRODUCT SPECIFICATIONS: STAINLESS STEEL PRE-RINSE, 8" DECK CONTROL VALVE, QUARTER TURN CHECK STEMS, LEVER HANDLES, 36" STAINLESS STEEL HOSE, 1.15 GPM @ 60 PSI SPRAY VALVE, 12" WALL BRACKET, 1/2" NPT MALE INLETS

PRODUCT COMPLIANCE:
 ASME A112.18.1 / CSA B125.1
 NSF 61 - Section 9
 NSF 372 (Low Lead Content)
 2019 DOE PRSV - Class II

Customer/Wholesaler:	Date:	Job Name:	Model Specified: 68217	Quantity:
Contractor:		Architect/Engineer:		

REPLACEMENT PARTS



PRODUCT SPECIFICATIONS: STAINLESS STEEL PRE-RINSE, 8" DECK CONTROL VALVE, QUARTER TURN CHECK STEMS, LEVER HANDLES, 36" STAINLESS STEEL HOSE, 1.15 GPM @ 60 PSI SPRAY VALVE, 12" WALL BRACKET, 1/2" NPT MALE INLETS

PRODUCT COMPLIANCE:
ASME A112.18.1 / CSA B125.1
NSF 61 - Section 9
NSF 372 (Low Lead Content)
2019 DOE PRSV - Class II